

# CMSC 132: Object-Oriented Programming II

---



## Networking

**Department of Computer Science**  
**University of Maryland, College Park**

# Networks

- A network is collection of computers that can communicate
- Largest network in the world: Internet
- Is that the same as “World Wide Web”?

# Networking

## ■ Internet

- Designed with multiple layers of abstraction
- Underlying medium is unreliable, packet oriented
- Packet-Switching

- Animation:

- [http://www.pbs.org/opb/nerds2.0.1/geek\\_glossary/packet\\_switching\\_flash.html](http://www.pbs.org/opb/nerds2.0.1/geek_glossary/packet_switching_flash.html)

- Provides two views

- Reliable, connection oriented (TCP)
  - Unreliable, packet oriented (UDP)

## ■ Java

- Object-oriented classes & API
  - Sockets, URLs
  - Extensive networking support

# Internet (IP) Address

- **Unique address for machine on internet**
  - Get from ISP when connecting to internet
  - Allows network to find your machine
- **Format**
  - 32-bit unsigned integer       $\Rightarrow$  128.8.128.8
  - Domain name       $\Rightarrow$  cs.umd.edu
- **Name and address for local machine**
  - localhost
  - 127.0.0.1

# Internet (IP) Address

## ■ Problem

- Running out of 32-bit IP addresses
- Caused by initial address allocation
  - Stanford & MIT initially given more IP addresses than China
    - fixed in 2000
  - Univ. of Maryland is currently assigned 131,072 IP addresses
- Switching to 128-bit IP addresses in IPv6
  - 1+ million addresses per square meter on Earth

# IP Address – DNS

## ■ Domain Name System (DNS)

- Protocol for translating domain names to IP addresses

  - Example: `cs.umd.edu` → `128.8.128.44`

- Multiple DNS servers on internet

- DNS server may need to query other DNS servers

  - `edu` DNS server queries `umd.edu` server to find `cs.umd.edu`

# Ports

- **Abstraction to identify (refine) destination**
  - Provide multiple destinations at single IP address
- **Format**
  - Unsigned 16-bit integer (0 to 65,535)
  - Ports 0 to 4096 often reserved & restricted
- **Many ports pre-assigned to important services**
  - 21 ftp (file transfer)
  - 23 telnet (remote terminal)
  - 25 SMTP (email)
  - 80 http (web)
  - ...


# Sockets

- **Application-level abstraction**
  - Represents network connection
  - Implemented in software
  - Supports both UDP and TCP protocols
- **History**
  - Introduced in Berkley UNIX in 1980s
  - Networking API



# Sockets

- **Socket is bound to port number**
  - **Receives data packet**
  - **Relays to specific port**



# Uniform Resource Locators (URLs)

## ■ Represent web resources

- Web pages
- Arbitrary files
- ...

## ■ Examples

- <http://www.cs.umd.edu/index.html>
- [ftp://www.cs.umd.edu/pub/doc/csd\\_policies.pdf](ftp://www.cs.umd.edu/pub/doc/csd_policies.pdf)
- <https://login.yahoo.com/>
- <file://dir/my.txt>

# Uniform Resource Locators (URLs)

## ■ Consists of

### ■ Protocol

- http:

- https: (secure http)

- file:

- ...

### ■ IP address (or domain name)

### ■ Port (optional, 80 if not specified)

- `http://www.cs.umd.edu:80/`

### ■ Reference to anchor (optional)

### ■ Query terms

# Internet Connections

## ■ Two types of connections

1. Connection-oriented (TCP)
2. Packet-oriented (UDP)

# Transmission Control Protocol (TCP)

- **Connection oriented**
- **Message split into datagrams**
- **Send datagrams as packets on network layer**
- **Provides illusion of reliable connection**
  - **Extra messages between sender / recipient**
  - **Resend packets if necessary**
  - **Ensure all packets eventually arrive**
  - **Store packets and process in order**
  - **Provides warning if packets are lost**

# Transmission Control Protocol (TCP)


- **Reliable but more overhead for small messages**
- **Application can treat as reliable connection**
  - **Despite unreliability of underlying IP (network)**
- **Examples**
  - **ftp (file transfer)**
  - **ssh (remote secure shell)**
  - **http (web)**
- **Vast majority of internet traffic is TCP**

# User Datagram Protocol (UDP)

- More like sending a postcard
- Limited size message
- Might get lost with no notification
- Useful in some specialized cases
  - messages are small
  - if a packet is lost, would rather just lose it than delay receipt of next packet

# Client / Server Model

- Relationship between two computer programs
- Client
  - Initiates communication
  - Requests services
- Server
  - Receives communication
  - Provides services
- Other models
  - Master / worker
  - Peer-to-peer (P2P)





# Client Programming

## ■ Basic steps

1. Determine server location – IP address & port
2. Open network connection to server
3. Write data to server (request)
4. Read data from server (response)
5. Close network connection
6. Stop client

# Simple Server Programming

## ■ Basic steps

1. Determine server location - port (& IP address)
2. Create ServerSocket to listen for connections
3. Loop

```
while (true) {
```

```
    Accept network connection from client
```

```
    Read data from client (request)
```

```
    Write data to client (response)
```

```
    Close network connection to client
```

```
}
```

# Advanced Server Programming

- **Server supports multiple connections / clients**
- **Two approaches**
  1. **Loop**
    - **Handles multiple connections in order**
    - **Limits on amount of network traffic**
    - **Not resilient in face of slow / stopped clients**
  2. **Multithreading**
    - **Allows multiple simultaneous connections**

# Java Networking Classes

- **IP addresses**
  - **InetAddress**
- **Packets**
  - **DatagramPacket (UDP)**
- **Sockets**
  - **Socket** - TCP general use sockets
  - **ServerSocket** - TCP server only sockets
  - **DatagramSocket** - UDP sockets (server or client)
  - **Sockets transfer data via Java I/O streams**
- **URL Connection Classes**
  - **High-level description of network service**
  - **Access resource named by URL**
  - **Examples**
    - **URLConnection**      ⇒ Reads resource
    - **HttpURLConnection** ⇒ Handles web page
    - **JarURLConnection** ⇒ Manipulates Java Archive

# Java Networking Examples

- **TCP Client/Server: See tcpServerClient package**
- **UDP Client/Server: See udpServerClient package**
- **URL Reader: See urlReader package**
- **Toy Web Server: See toyWebServer package**